

List N: Disinfectants for Use Against SARS-CoV-2 (COVID-19)

Date Accessed: 11/19/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
91691-1	Quaternary ammonium	BioPledge Antimicrobial Power	BioPledge LLC	3	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	11/19/2020
9480-11	Quaternary ammonium	BackSpray RTU	Professional Disposables International Inc	1	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	11/19/2020
9480-5	Quaternary ammonium	Sani-cloth Germicidal Disposable Cloth	Professional Disposables International Inc	3	Wipe	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	11/19/2020
92378-2	Quaternary ammonium	Atmosphere	Atmosphere Global LLC	5	Dilutable	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	11/19/2020
56392-7	Sodium hypochlorite	Clorox Healthcare® Bleach Germicidal	Clorox Professional Products Company	1	Ready-to-use	Hard Nonporous (HN); Food Contact	Healthcare; Institutional	Tested against SARS-CoV-2 (COVID-19);	SARS-CoV-2	11/19/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
		Cleaner Spray				Post-Rinse Required (FCR)		Emerging viral pathogen claim		
67619-40	Sodium hypochlorite	Clorox Healthcare Spore10 Defense Cleaner Disinfectant	Clorox Professional Products Company	1	Ready-to-use; Electrostatic spray (Clorox® Total 360® system)	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	11/19/2020
5741-30	Quaternary ammonium	Clean by 4D	Spartan Chemical Company Inc	10	Dilutable	Hard Nonporous (HN)	Institutional	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	11/05/2020
5741-28	Sodium hypochlorite	Tulmult	Spartan Chemical Company Inc	0.5 (30 seconds)	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	11/05/2020
10324-85	Quaternary ammonium	Maquat 86-M	Mason Chemical Company	10	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/29/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
4091-21	Quaternary ammonium	Condor 2	W.M. Barr & Company Inc	1	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/29/2020
5813-21	Sodium hypochlorite	Clorox Clean Up Cleaner + Bleach	The Clorox Company	0.5 (30 seconds)	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/29/2020
67619-17	Sodium hypochlorite	Clorox Commercial Solutions® Clorox® Clean-Up Disinfectant Cleaner with Bleach1	Clorox Professional Products Company	0.5 (30 seconds)	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/29/2020
1677-259	Dodecylbenzenesulfonic acid; L-Lactic acid	CW32A-RTU	Ecolab Inc	0.25 (15 seconds)	Ready-to-use; Electrostatic spray	Hard Nonporous (HN); Food Contact No Rinse (FCNR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/29/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
1677-260	Dodecylbenzenesulfonic acid; L-Lactic acid	S&S Sanitizer	Ecolab Inc	0.25 (15 seconds)	Dilutable; Electrostatic spray	Hard Nonporous (HN); Food Contact No Rinse (FCNR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/29/2020
5813-73	Quaternary ammonium	Clorox Everest	The Clorox Company	0.5 (30 seconds)	Ready-to-use	Hard Nonporous (HN)	Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	10/21/2020
67619-10	Quaternary ammonium	Clorox Commercial Solutions Formula 409 Cleaner Degreaser Disinfectant	Clorox Professional Products Company	0.5 (30 seconds)	Dilutable	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	10/21/2020
10324-214	Hydrogen peroxide; Peroxyacetic acid (Peracetic acid)	Maguard 5626	Mason Chemical Company	2	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/21/2020
4091-20	Quaternary ammonium	Phoenix 2	W.M. Barr & Company Inc	1	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging	SARS-CoV-2	10/21/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
1839-166	Quaternary ammonium	BTC 885 NDC-128	Stapan Company	10	Dilutable	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	viral pathogen claim Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/15/2020
67619-38	Quaternary ammonium	CloroxPro™ Clorox Total 360® Disinfecting Cleaner1	Clorox Professional Products Company	2	Ready-to-use; Electrostatic spray (Clorox® Total 360® system)	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	viral pathogen claim Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/15/2020
5813-120	Sodium hypochlorite	CRB	The Clorox Company	6	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	viral pathogen claim Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/15/2020
5813-121	Sodium hypochlorite	CRB I	The Clorox Company	6	Dilutable	Hard Nonporous (HN); Food Contact Post-Rinse	Healthcare; Institutional; Residential	viral pathogen claim Tested against SARS-CoV-2 (COVID-19); Emerging	SARS-CoV-2	10/15/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
89900-2	Quaternary ammonium	Scrubbing Bubbles® Disinfectant Restroom Cleaner II	S.C. Johnson Professional	5	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Institutional; Residential	Required (FCR) viral pathogen claim Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/08/2020
4822-594	Quaternary ammonium	Scrubbing Bubbles® Bathroom Disinfectant Bathroom Grime Fighter	S.C. Johnson & Son Inc	5	Ready-to-use	Hard Nonporous (HN)	Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/08/2020
89900-3	Quaternary ammonium	Fantastik® Multi-Surface Disinfectant Degreaser	S.C. Johnson Professional	5	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/08/2020
4822-613	Quaternary ammonium	Scrubbing Bubbles® Disinfectant Bathroom Grime Fighter	S.C. Johnson & Son Inc	5	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse	Residential	Tested against SARS-CoV-2 (COVID-19); Emerging	SARS-CoV-2	10/08/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
56392-8	Sodium hypochlorite	Dispatch	Clorox Professional Products Company	1	Wipe	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Required (FCR) viral pathogen claim Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/08/2020
1839-167	Quaternary ammonium	BTC 885 Neutral Disinfectant Cleaner-256	Stepan Company	10	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/08/2020
1839-169	Quaternary ammonium	BTC 885 Neutral Disinfectant Cleaner-64	Stepan Company	10	Dilutable	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/08/2020
1839-168	Quaternary ammonium	BTC 885 NDC-32	Stepan Company	10	Dilutable	Hard Nonporous (HN); Food Contact Post-Rinse	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging	SARS-CoV-2	10/08/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
						Required (FCR)		viral pathogen claim		
1839-176	Quaternary ammonium	Liquid-pak Neutral Disinfectant Cleaner	Stapan Company	10	Dilutable	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	10/08/2020
4822-548	Triethylene glycol; Quaternary ammonium	Scrubbing Bubbles® Multi-Purpose Disinfectant	S.C. Johnson & Son Inc	5	Pressurized liquid	Hard Nonporous (HN)	Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/01/2020
1677-238	Hydrogen peroxide	Peroxide Multi Surface Cleaner and Disinfectant	Ecolab Inc	0.5 (30 seconds)	Dilutable; Electrostatic spray	Hard Nonporous (HN)	Healthcare; Institutional	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	10/01/2020
67619-25	Hydrogen peroxide	Clorox Commercial Solutions® Hydrogen Peroxide Cleaner	Clorox Professional Products Company	0.5 (30 seconds)	Wipe	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral	SARS-CoV-2	10/01/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
		Disinfectant Wipes						pathogen claim		
90856-4	Quaternary ammonium	MonoFoil D	Apply Guard LLC	3	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	09/24/2020
9480-4	Quaternary ammonium; Isopropanol (Isopropyl alcohol)	Super Sani-Cloth Germicidal Disposable Wipe	Professional Disposables International Inc	1	Wipe	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	09/24/2020
67619-30	Sodium hypochlorite	GNR	Clorox Professional Products Company	1	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	09/24/2020
1677-129	Hydrogen peroxide; Peroxyacetic acid (Peracetic acid)	Oxonia Active	Ecolab Inc	10	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	09/24/2020
97092-1	Quaternary ammonium	Dr J's Surface	QYK Brands	3	Ready-to-use	Hard	Healthcare;	Tested	SARS-CoV-2	09/17/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
		Disinfectant	LLC			Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Institutional; Residential	against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim		
777-66	Quaternary ammonium	Lysol® Brand All Purpose Cleaner	Reckitt Benckiser LLC	2	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	09/17/2020
777-91	Quaternary ammonium	Lysol® Kitchen Pro Antibacterial Cleaner	Reckitt Benckiser LLC	2	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	09/17/2020
1839-83	Quaternary ammonium	Detergent Disinfectant Pump Spray	Stepan Company	1	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	09/10/2020
67619-12	Sodium hypochlorite	Clorox Healthcare® Bleach Germicidal Wipes	Clorox Professional Products Company	1	Wipe	Hard Nonporous (HN)	Healthcare; Institutional	Tested against SARS-CoV-2 (COVID-19); Emerging viral	SARS-CoV-2	09/10/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
45745-11	Hydrogen peroxide	HP202	Midlab	1	Dilutable	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional	pathogen claim Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	09/10/2020
5741-18	Quaternary ammonium	NABC	Spartan Chemical Company Inc	10	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	09/03/2020
5813-101	Glycolic acid	Tuck 3	The Clorox Company	10	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	09/03/2020
67619-32	Sodium hypochlorite	CloroxPro™ Clorox® Germicidal Bleach	Clorox Professional Products Company	5	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	09/03/2020
5813-113	Quaternary ammonium	CDW	The Clorox Company	0.5 (30 seconds)	Wipe	Hard Nonporous	Institutional; Residential	Tested against	SARS-CoV-2	08/20/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
						(HN)		SARS-CoV-2 (COVID-19); Emerging viral pathogen claim		
5813-79	Quaternary ammonium	Clorox Disinfecting Wipes	The Clorox Company	0.5 (30 seconds)	Wipe	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	08/20/2020
67619-31	Quaternary ammonium	Clorox Commercial Solutions® Clorox® Disinfecting Wipes	Clorox Professional Products Company	0.5 (30 seconds)	Wipe	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	08/20/2020
777-128	Quaternary ammonium	Lysol® Laundry Sanitizer	Reckitt Benckiser LLC	5	Dilutable	Porous (P) (laundry presoak only)	Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	08/13/2020
6836-340	Quaternary ammonium	Lonza Disinfectant Wipes Plus 2	Lonza LLC	4	Wipe	Hard Nonporous (HN)	Healthcare; Institutional	Tested against SARS-CoV-2 (COVID-19); Emerging viral	SARS-CoV-2	08/07/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
6836-336	Quaternary ammonium	Lonza Disinfectant Wipes Plus	Lonza LLC	4	Wipe	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	08/06/2020
6836-382	Quaternary ammonium	Nugen Low Streak Disinfectant Wipes	Lonza LLC	4	Wipe	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	08/06/2020
6836-313	Quaternary ammonium	Lonza Disinfectant Wipes	Lonza LLC	4	Wipe	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	08/06/2020
6836-136	Quaternary ammonium	Lonza Formulation S-18F	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/29/2020
6836-140	Quaternary ammonium	Lonza	Lonza LLC	3	Dilutable	Hard	Healthcare;	Tested	SARS-CoV-2	07/29/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
		Formulation S-21F				Nonporous (HN)	Institutional; Residential	against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim		
6836-152	Quaternary ammonium	Lonza Formulation DC-103	Lonza LLC	3	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/29/2020
6836-77	Quaternary ammonium	Lonza Formulation S-18	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/29/2020
6836-381	Quaternary ammonium	Lonzagard R-82G	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19)	SARS-CoV-2	07/29/2020
6836-139	Quaternary ammonium	Lonza Formulation R-82F	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging	SARS-CoV-2	07/29/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
								viral pathogen claim		
6836-346	Quaternary ammonium	Lonzagard RCS-256	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/29/2020
6836-347	Quaternary ammonium	Lonzagard RCS-128	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/29/2020
6836-348	Quaternary ammonium	Lonzagard RCS-128 PLUS	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/29/2020
6836-349	Quaternary ammonium	Lonzagard RCS-256 Plus	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging	SARS-CoV-2	07/29/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
6836-75	Quaternary ammonium	Lonza Formulation S-21	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	viral pathogen claim Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/29/2020
6836-78	Quaternary ammonium	Lonza Formulation R-82	Lonza LLC	3	Dilutable	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/29/2020
777-114	Quaternary ammonium	Lysol® Disinfecting Wipes (All Scents)	Reckitt Benckiser LLC	2	Wipe	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/23/2020
777-127	Quaternary ammonium; Ethanol (Ethyl alcohol)	Lysol® Disinfectant Max Cover Mist	Reckitt Benckiser LLC	2	Ready-to-use	Hard Nonporous (HN)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging	SARS-CoV-2	07/06/2020

EPA Registration Number	Active Ingredient(s)	Product Name	Company	Contact Time (in minutes)	Formulation Type	Surface Types	Use Sites	Why is this product on List N?	To kill SARS-CoV-2 (COVID-19), follow disinfection directions for the following pathogen(s)	Date Added to List N
777-99	Quaternary ammonium; Ethanol (Ethyl alcohol)	Lysol® Disinfectant Spray	Reckitt Benckiser LLC	2	Ready-to-use	Hard Nonporous (HN); Food Contact Post-Rinse Required (FCR)	Healthcare; Institutional; Residential	Tested against SARS-CoV-2 (COVID-19); Emerging viral pathogen claim	SARS-CoV-2	07/06/2020